



Client KNC CRL ORL

Analyzed 07/20/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	TESA 10mg	Form	Lyophilized
Batch	TESA-061424-10	Labeled Qty	10mg
Mol. Formula	C221H366N72O67S	CAS Number	218949-48-5
Cap Color	Black	Crimp Color	Silver
Appearance	White Powder		

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Batch Avg Purity	(>98%)	99.73	✓
Batch Avg Net Content	10MG ± 10%	10.81	✓
Identity Confirmation (LC-MS)	Tesamorelin	Tesamorelin	✓
Endotoxin	(<0.5 EU/ml)	PASS	✓

HEAVY METAL SCREENING


No data.

BATCH CONFORMITY RESULTS

No data.

HPLC CHROMATOGRAM

HPLC CHROMATOGRAM · TESA 10MG	DETECTOR: UV 214 NM · 07/20/2026



SAMPLE PHOTOS



AS RECEIVED

RECONSTITUTED (BACT. WATER) — CLARITY
CHECK

Dr. R. Caldwell

ANALYST
ID: AN-3271

Dr. P. Andersen

QC REVIEWER
ID: QR-5418

Dr. H. Whitman

QA DIRECTOR
ID: QA-1090



sterigenixanalytical.com/verify

Report#: RPT - 2026 - 066394
Access Code: TESA - 061424 - 10

