



Client KNC CRL ORL

Analyzed 07/09/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	NAD+	Form	Lyophilized
Batch	NAD-061424-1000	Labeled Qty	1000mg
Mol. Formula	C21H27N7O14P2	CAS Number	53-84-9
Cap Color	Black	Crimp Color	Silver
Appearance	White Powder		

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Batch Avg Purity	(>98%)	99.48	✓
Batch Avg Net Content	1000MG ± 10%	993.29	✓
Identity Confirmation (LC-MS)	NAD+	NAD+	✓
Endotoxin	(<0.5 EU/ml)	PASS	✓

HEAVY METAL SCREENING


No data.

BATCH CONFORMITY RESULTS

No data.

HPLC CHROMATOGRAM

HPLC CHROMATOGRAM · NAD+ 1000MG	DETECTOR: UV 214 NM · 07/09/2026
---------------------------------	----------------------------------



SAMPLE PHOTOS



AS RECEIVED

RECONSTITUTED (BACT. WATER) — CLARITY CHECK

Dr. R. Caldwell

ANALYST
ID: AN-3271

Dr. P. Andersen

QC REVIEWER
ID: QR-5418

Dr. H. Whitman

QA DIRECTOR
ID: QA-1090



sterigenixanalytical.com/verify

Report#: RPT - 2026 - 740860
Access Code: NAD - 061424 - 1000

